

Publikationen der Poliklinik für Zahnärztliche Prothetik des Universitätsklinikums Heidelberg 2023

1. Bömicke, W.; Rammelsberg, P.; Spatola, G.; Rues, S. The Effect of Titanium Anodization on the Bond Strength of 10-methacryloyloxydecyl dihydrogen phosphate (10-MDP) Resin Cement. *Int J Prosthodont* 2023, 36, 133-142, doi:10.11607/ijp.7821.
2. Herpel, C.; Drusko, A.; Schwindling, F.S.; Rammelsberg, P.; Tesarz, J. Head and Neck Pain Drawing Area Correlates With Higher Psychosocial Burden But Not With Joint Dysfunction in Temporomandibular Disorders: A Cross-Sectional Study. *J Pain* 2023, 24, 970-979, doi:10.1016/j.jpain.2023.01.010.
3. Herpel, C.; Held, T.; Labis, C.; Christ, L.; Lang, K.; Regnery, S.; Eichkorn, T.; Lentz-Hommertgen, A.; Jaekel, C.; Moratin, J.; et al. Oral Sequelae after Head and Neck Radiotherapy: RCT Comparing 3D-Printed Tissue Retraction Devices with Conventional Dental Splints. *J Clin Med* 2023, 12, doi:10.3390/jcm12082789.
4. Herpel, C.; Kykal, J.; Rues, S.; Schwindling, F.S.; Rammelsberg, P.; Eberhard, L. Thermo-flexible resin for the 3D printing of occlusal splints: A randomized pilot trial. *J Dent* 2023, 133, 104514, doi:10.1016/j.jdent.2023.104514.
5. Herpel, C.; Rammelsberg, P.; Hilgenfeld, T. Bildgebung bei CMD – Indikation und klinische Relevanz. *Zahnmedizin up2date* 2023, 17, 469-488, doi:10.1055/a-2202-2389.
6. Herpel, C.; Rammelsberg, P.; Schwindling, F.S. Nonsurgical treatment of class III malocclusion with temporomandibular disorder comorbidity: A clinical report. *J Prosthet Dent* 2023, 129, 819-823, doi:10.1016/j.prosdent.2021.09.012.
7. Herpel, C.; Schwindling, F.S.; Rammelsberg, P.; Tesarz, J. A functional problem-on a linguistic ambiguity in dentistry. *J Oral Rehabil* 2023, 50, 914-917, doi:10.1111/joor.13518.
8. Hinz, S.; Bömicke, W.; Bense, T. Cumulative 10-year performance of endodontically treated teeth with prosthetic restorations of base metal alloy double crowns with friction pins-a retrospective study. *Clin Oral Investig* 2023, 27, 4411-4423, doi:10.1007/s00784-023-05060-9.
9. Hinz, S.; Bömicke, W.; Schweyen, R.; Bense, T. Ten-year clinical performance of non-precious metal double crowns with friction pins in severely reduced dentitions-a retrospective study. *Clin Oral Investig* 2023, 27, 1623-1635, doi:10.1007/s00784-022-04788-0.
10. Klotz, A.L.; Schröder, J.; Rammelsberg, P.; Zenthöfer, A. Senioren in Pflegeeinrichtungen. *wissen kompakt* 2023, 17, 165-174, doi:10.1007/s11838-023-00179-7.

11. Kostunov, J.; Menzel, R.; Bermejo, J.L.; Rammelsberg, P.; Giannakopoulos, N.N.; Kappel, S. Immediate loading of dental implants in edentulous mandibles using Locator attachments or Dolder bars: A 9-year prospective randomized clinical study. *J Clin Periodontol* 2023, 50, 1530-1538, doi:10.1111/jcpe.13857.
12. Liebermann, A.; Schultheis, A.; Faber, F.; Rammelsberg, P.; Rues, S.; Schwindling, F.S. Impact of post printing cleaning methods on geometry, transmission, roughness parameters, and flexural strength of 3D-printed zirconia. *Dent Mater* 2023, 39, 625-633, doi:10.1016/j.dental.2023.05.005.
13. Longarino, F.K.; Herpel, C.; Tessonnier, T.; Mein, S.; Ackermann, B.; Debus, J.; Schwindling, F.S.; Stiller, W.; Mairani, A. Dual-energy CT-based stopping power prediction for dental materials in particle therapy. *J Appl Clin Med Phys* 2023, 24, e13977, doi:10.1002/acm2.13977.
14. Miotk, N.; Schwindling, F.S.; Zidan, M.; Juerchott, A.; Rammelsberg, P.; Hosseini, Z.; Nittka, M.; Heiland, S.; Bendszus, M.; Hilgenfeld, T. Reliability and accuracy of intraoral radiography, cone beam CT, and dental MRI for evaluation of peri-implant bone lesions at zirconia implants - an ex vivo feasibility study. *J Dent* 2023, 130, 104422, doi:10.1016/j.jdent.2023.104422.
15. Rammelsberg, P. Therapieoptionen nach Implantatverlust und Prävention von Folgeschäden. *Zahnärztliche Mitteilungen - ZM* 2023, 8.
16. Rauch, A.; Nitschke, I.; Hahnel, S.; Weber, S.; Zenthöfer, A.; Schierz, O. Prevalence of temporomandibular disorders and bruxism in seniors. *J Oral Rehabil* 2023, 50, 531-536, doi:10.1111/joor.13450.
17. Roser, C.J.; Zenthöfer, A.; Lux, C.J.; Rues, S. A new CAD/CAM tooth mobility simulating model for dental in vitro investigations. *Clin Oral Investig* 2023, 27, 5131-5140, doi:10.1007/s00784-023-05133-9.
18. Rues, S.; Tasaka, A.; Fleckenstein, I.; Yamashita, S.; Rammelsberg, P.; Boehm, S.; Schwindling, F.S. Fit and Retention of Cobalt-Chromium Removable Partial Denture Frameworks Fabricated with Selective Laser Melting. *J Funct Biomater* 2023, 14, doi:10.3390/jfb14080416.
19. Rues, S.; Zehender, N.; Zenthöfer, A.; Bömicke, W.; Herpel, C.; Ilani, A.; Erber, R.; Roser, C.; Lux, C.J.; Rammelsberg, P.; et al. Fit of anterior restorations made of 3D-printed and milled zirconia: An in-vitro study. *J Dent* 2023, 130, 104415, doi:10.1016/j.jdent.2023.104415.
20. Zenthöfer, A.; Graf, A.; Busch, C.; Rammelsberg, P.; Klotz, A.L. Adapting the German version of the dental environment stress questionnaire. *Eur J Dent Educ* 2023, 27, 497-504, doi:10.1111/eje.12833.

21. Zenthöfer, A.; Graf, A.; Rammelsberg, P.; Klotz, A.L. The Impact of the SARS-CoV-2 Pandemic on Stress and Anxiety of Dental Students. *Eur J Dent* 2023, 17, 1221-1228, doi:10.1055/s-0042-1760299.
22. Zenthöfer, A.; Rues, S.; Rammelsberg, P.; Ohlmann, B.; Bömicke, W. Influence of geometric dimensions on early failures of adhesively retained composite resin core build-ups. *J Esthet Restor Dent* 2023, 35, 435-441, doi:10.1111/jerd.12953.